

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(Hall adj sensor) and (coil) and ("324"/\$.ccls.) and (piston)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/04 14:12
L2	880	(324/207.2).CCLS.	US-PGPUB; USPAT; JPO	OR	OFF	2005/11/04 14:12
L3	917	(324/207.2).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/04 14:19
L4	22	3 and piston and coil and (Hall)	US-PGPUB; USPAT; JPO	OR	ON	2005/11/04 14:19
L5	1549	(324/207.25).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/04 14:25
L6	7	5 and piston and coil and (Hall)	US-PGPUB; USPAT; JPO	OR	ON	2005/11/04 14:25
L7	390	(324/207.26).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/04 14:27
L8	6	7 and piston and coil and (Hall)	US-PGPUB; USPAT; JPO	OR	ON	2005/11/04 14:28
L9	540	(324/251).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/04 14:27
L10	5	9 and piston and coil and (Hall)	US-PGPUB; USPAT; JPO	OR	ON	2005/11/04 14:28
S1	652	(33/706).CCLS.	US-PGPUB; USPAT; JPO	OR	OFF	2005/11/04 11:39
S2	0	S1 and (Hall adj sensor)and(coil)and(magnetic)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 15:46
S3	9	S1 and (Hall adj sensor)	US-PGPUB; USPAT; JPO	OR	ON	2005/11/04 12:17
S4	23	S1 and (Hall)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 15:57

S5	232	(33/708).CCLS.	US-PGPUB; USPAT; JPO	OR	OFF	2005/05/10 15:57
S6	30	S5 and (Hall)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:03
S7	0	("DE20205822").PN.	US-PGPUB; USPAT; JPO	OR	OFF	2005/05/10 16:04
S8	0	("DE20205822").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/10 16:04
S9	0	DE20205822	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:07
S10	1560091	DE "202" S5 "822" U1	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:09
S11	0	("DE20205822U1").PN.	US-PGPUB; USPAT; JPO	OR	OFF	2005/05/10 16:09
S12	0	("DE20205822U1").PN.	US-PGPUB; USPAT; JPO	OR	OFF	2005/05/10 16:17
S13	0	(cymnder and piston)adj(Hall or eddy)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:17
S14	0	(cylinder and piston)adj(Hall or eddy)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:18
S15	2048	(Hall adj sensor)and(movement or displacement)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:22
S16	187	S15 and (piston and cylinder)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:23
S17	7	sielemann.in.	US-PGPUB; USPAT; JPO	OR	ON	2005/05/10 16:35
S18	2051	(Hall adj sensor)and(movement or displacement)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/14 14:30
S19	187	S18 and (piston and cylinder)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/14 14:30
S20	8	S19 and multiplexer	US-PGPUB; USPAT; JPO	OR	ON	2005/05/14 14:30

S21	1	("6690159").PN.	US-PGPUB; USPAT; JPO	OR	OFF	2005/05/16 08:05
S22	184	(Hall adj (sensor or effect))and(current adj controller)	US-PGPUB; USPAT; JPO	OR	ON	2005/05/16 08:06
S23	7	S22 and piston	US-PGPUB; USPAT; JPO	OR	ON	2005/05/16 08:06
S24	3	((("5907200") or ("6137403") or ("5201838"))).PN.	US-PGPUB; USPAT; JPO	OR	OFF	2005/11/04 11:39
S25	257	(Hall adj sensor) and (coil) and ("324"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/04 13:53